


Experience a safer
and more open world

Rockwood 71A - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
3" x 12"

WEIGHT:
0.9 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:
Stainless Steel

FASTENER:
#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:
Four beveled edges

ORDERING:


- Specify plate number followed by size designation and finish (71A US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71B - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
3 1/2" x 15"

WEIGHT:
1.1 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x 5/8" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:


- Specify plate number followed by size designation and finish (71B US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71C - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
4" x 16"

WEIGHT:
1.2 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:
Stainless Steel

FASTENER:
#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:
Four beveled edges

ORDERING:


- Specify plate number followed by size designation and finish (71C US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71E - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
6" x 16"

WEIGHT:
1.8 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:
Stainless Steel

FASTENER:
#6 x ⁵/₈" Oval Head Sheet Metal Screws

FEATURES:
Four beveled edges

ORDERING:


- Specify plate number followed by size designation and finish (71E US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: ¹/₁₆" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71F - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
8" x 16"

WEIGHT:
2.4 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x 5/8" Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:


- Specify plate number followed by size designation and finish (71F US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer
and more open world

Rockwood 71G - Push Plate - .062" Thick



Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:
4" x 20"

WEIGHT:
1.5 lbs.

ANSI A156.6: J301

Specifications:

MATERIAL:

Stainless Steel

FASTENER:

#6 x $\frac{5}{8}$ " Oval Head Sheet Metal Screws

FEATURES:

Four beveled edges

ORDERING:

- Specify plate number followed by size designation and finish (71G US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: $\frac{1}{16}$ " double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).