

Experience a safer  
and more open world

## Rockwood 71REA - Push Plate - .062" Thick



### Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:  
3" x 12"

WEIGHT:  
0.9 lbs.

ANSI A156.6: J301

### Specifications:

#### MATERIAL:

Stainless Steel

#### FASTENER:

#6 x <sup>5</sup>/<sub>8</sub>" Oval Head Sheet Metal Screws

#### FEATURES:

Four beveled edges

#### ORDERING:

- Specify plate number followed by size designation and finish (71REA US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

#### OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: <sup>1</sup>/<sub>16</sub>" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer  
and more open world

## Rockwood 71REB - Push Plate - .062" Thick



### Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:  
3 1/2" x 15"

WEIGHT:  
1.1 lbs.

ANSI A156.6: J301

### Specifications:

#### MATERIAL:

Stainless Steel

#### FASTENER:

#6 x 5/8" Oval Head Sheet Metal Screws

#### FEATURES:

Four beveled edges

#### ORDERING:

- Specify plate number followed by size designation and finish (71REB US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

#### OPTIONS:

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).

Experience a safer  
and more open world

## Rockwood 71REC - Push Plate - .062" Thick



### Available Finishes:

- US10BE/613E
- US32D/630
- US32DMS

STANDARD SIZE:  
4" x 16"

WEIGHT:  
1.2 lbs.

ANSI A156.6: J301

### Specifications:

**MATERIAL:**  
Stainless Steel

**FASTENER:**  
#6 x <sup>5</sup>/<sub>8</sub>" Oval Head Sheet Metal Screws

**FEATURES:**  
Four beveled edges

**ORDERING:**

- Specify plate number followed by size designation and finish (71REC US32D) or for non-standard size 71
- Specify width x height and finish. Specify any additional options.

**OPTIONS:**

- Custom sizes available upon request
- TEK – self-drilling screws
- TORX – security Torx screws
- SA – self-adhesive mounting: <sup>1</sup>/<sub>16</sub>" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT).