


Experience a safer  
and more open world

## Rockwood 73A - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x  $\frac{5}{8}$ " Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73A US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting:  $\frac{1}{16}$ " double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316


SIZE:  
3" x 12"

WEIGHT:  
1.7 lbs.

ANSI A156.6:  
J301

Experience a safer  
and more open world

## Rockwood 73B - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x <sup>5</sup>/<sub>8</sub>" Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73B US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: <sup>1</sup>/<sub>16</sub>" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316


SIZE:  
3 <sup>1</sup>/<sub>2</sub>" x 15"

WEIGHT:  
2.1 lbs.

ANSI A156.6:  
J301

Experience a safer  
and more open world

## Rockwood 73C - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x  $\frac{5}{8}$ " Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73C US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting:  $\frac{1}{16}$ " double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316


SIZE:  
4" x 16"

WEIGHT:  
2.5 lbs.

ANSI A156.6:  
J301

Experience a safer  
and more open world

## Rockwood 73E - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x <sup>5</sup>/<sub>8</sub>" Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73E US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: <sup>1</sup>/<sub>16</sub>" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316


SIZE:  
6" x 16"

WEIGHT:  
3.8 lbs.

ANSI A156.6:  
J301

Experience a safer  
and more open world

## Rockwood 73F - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x <sup>5</sup>/<sub>8</sub>" Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73F US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting: <sup>1</sup>/<sub>16</sub>" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316


SIZE:  
8" x 16"

WEIGHT:  
5.0 lbs.

ANSI A156.6:  
J301

Experience a safer  
and more open world

## Rockwood 73G - Push Plate - .125" Thick



### Specifications:

#### MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

#### FEATURES:

Four beveled edges

#### FASTENERS:

#6 x  $\frac{5}{8}$ " Oval Head Sheet Metal Screws

#### ORDERING:

Specify plate number followed by size designation and finish; i.e., 73G US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

#### OPTIONS:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security torx screws
- SA - self-adhesive mounting:  $\frac{1}{16}$ " double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316

SIZE:  
4" x 20"

WEIGHT:  
3.2 lbs.

ANSI A156.6:  
J301