

Experience a safer and more open world

Rockwood 73RCA - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCA US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions

Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212



Experience a safer and more open world

Rockwood 73RCB - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCB US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions

Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212



Experience a safer and more open world

Rockwood 73RCC - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCC US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions

Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212



Experience a safer and more open world

Rockwood 73RCE - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCE US32D or for nonstandard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212

www.assaabloydooraccessories.us

Available Finishes:



Experience a safer and more open world

Available

Rockwood 73RCF - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCF US32D or for nonstandard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212

www.assaabloydooraccessories.us

Finishes:



Experience a safer and more open world

Rockwood 73RCG - Push Plate - .125" Thick



Specifications:

MATERIAL:

Aluminum, Brass, Bronze, or Stainless Steel

FEATURES:

Four beveled edges

FASTENERS:

#6 x 5/8" Oval Head Sheet Metal Screws

ORDERING:

Specify plate number followed by size designation and finish; i.e., 73RCG US32D or for non-standard size 73 (width x height) and finish. Specify any additional optional features.

OPTIONS:

- Custom sizes available upon request
- TEK self-drilling screws
- TORX security torx screws
- SA self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder Cutouts (CFC) and Turn Knob Cutouts (CFTT)

ASSA ABLOY Opening Solutions

Architectural Accessories Group

Rockwood, PA

Phone: (800) 458-2424 • Fax: (800) 922-9212