

Experience a safer  
and more open world

## Rockwood T110 - Tubular Door Pull



### Specifications:

#### MATERIAL:

Brass, Bronze, Stainless Steel

#### OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (T110BTB5)
- Concealed mounting single pulls — use C suffix and mounting type number (T110C6)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)
- 2 1/2" Barrier Free clearance — use BF prefix (TBF110)

#### FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

MATERIAL SIZE:  
1" dia.

CTC:  
8"

OVERALL:  
9"

BASE:  
1"

PROJECTION:  
3"

CLEARANCE:  
2"

WEIGHT:  
1.0 lbs.

Experience a safer  
and more open world

## Rockwood T111A - Tubular Door Pull



### Specifications:

#### MATERIAL:

Brass, Bronze, Stainless Steel

#### OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (T111ABTB5)
- Concealed mounting single pulls — use C suffix and mounting type number (T111AC6)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)
- 2 1/2" Barrier Free clearance — use BF prefix (TBF111A)

#### FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

MATERIAL SIZE:  
1" dia.

CTC:  
9"

OVERALL:  
10"

BASE:  
1"

PROJECTION:  
3"

CLEARANCE:  
2"

WEIGHT:  
1.1 lbs.

ANSI A156.6: J401

Experience a safer  
and more open world

## Rockwood T111 - Tubular Door Pull



### Specifications:

#### MATERIAL:

Brass, Bronze, Stainless Steel

#### OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (T111BTB5)
- Concealed mounting single pulls — use C suffix and mounting type number (T111C6)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)
- 2 1/2" Barrier Free clearance — use BF prefix (TBF111)

#### FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

MATERIAL SIZE:  
1" dia.

CTC:  
10"

OVERALL:  
11"

BASE:  
1"

PROJECTION:  
3"

CLEARANCE:  
2"

WEIGHT:  
1.1 lbs.

ANSI A156.6: J401

## Rockwood T112 - Tubular Door Pull



### Specifications:

#### MATERIAL:

Brass, Bronze, Stainless Steel

#### OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (T112BTB5)
- Concealed mounting single pulls — use C suffix and mounting type number (T112C6)
- Advise if door thickness is other than 1<sup>3</sup>/<sub>4</sub>"
- Mounting selections for standard duty 1/4"-20 can be viewed at [www.rockwoodmfg.com](http://www.rockwoodmfg.com)
- 2<sup>1</sup>/<sub>2</sub>" Barrier Free clearance — use BF prefix (TBF112)

#### FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1<sup>3</sup>/<sub>4</sub>" door)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

MATERIAL SIZE:  
1" dia.

CTC:  
12"

OVERALL:  
13"

BASE:  
1"

PROJECTION:  
3"

CLEARANCE:  
2"

WEIGHT:  
1.2 lbs.

ANSI A156.6: J401

Experience a safer  
and more open world

## Rockwood T118 - Tubular Door Pull



### Specifications:

#### MATERIAL:

Brass, Bronze, Stainless Steel

#### OPTIONS:

- Back to back mounting in pairs — use BTB suffix and mounting type number (T118BTB5)
- Concealed mounting single pulls — use C suffix and mounting type number (T118C6)
- Advise if door thickness is other than 1 3/4"
- Mounting selections for standard duty 1/4"-20 can be viewed at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us)
- 2 1/2" Barrier Free clearance — use BF prefix (TBF118)

#### FASTENER:

1/4"-20 x 2 1/4" thru bolt & finish washer (standard 1 3/4" door)

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

MATERIAL SIZE:  
1" dia.

CTC:  
18"

OVERALL:  
19"

BASE:  
1"

PROJECTION:  
3"

CLEARANCE:  
2"

WEIGHT:  
1.7 lbs.

ANSI A156.6: J401