

Experience a safer  
and more open world

## Rockwood T11047 - T47 Series Straight Tubular Single Bar Set



### Specifications:

#### MATERIAL:

Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors.  
(See mounting selections at [assaabloydooraccessories.us](http://assaabloydooraccessories.us))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., T11047 T3, wood door, 33" CTC, US32D)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (TBP11047) when ordering

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

SIZE:  
Ø 1"

CTC:  
Pull 8"

PROJECTION:  
Pull 3"  
Push 2 <sup>3</sup>/<sub>4</sub>"

CLEARANCE:  
Pull 2"  
Push 1 <sup>3</sup>/<sub>4</sub>"

WEIGHT:  
3.9 lbs.

ANSI 156.6:  
J504

Experience a safer  
and more open world

## Rockwood T111A47 - T47 Series Straight Tubular Single Bar Set



### Specifications:

#### MATERIAL:

Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors.  
(See mounting selections at [assaabloydooraccessories.us](http://assaabloydooraccessories.us))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., T111A47 T3, wood door, 33" CTC, US32D)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (TBP111A47) when ordering

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

SIZE:  
Ø 1"

CTC:  
Pull 9"

PROJECTION:  
Pull 3"  
Push 2 3/4"

CLEARANCE:  
Pull 2"  
Push 1 3/4"

WEIGHT:  
4.0 lbs.

ANSI 156.6:  
J504

Experience a safer  
and more open world

## Rockwood T11147 - T47 Series Straight Tubular Single Bar Set



### Specifications:

#### MATERIAL:

Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors.  
(See mounting selections at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., T11147 T3, wood door, 33" CTC, US32D)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (TBP11147) when ordering

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

#### SIZE:

Ø 1"

#### CTC:

Pull 10"

#### PROJECTION:

Pull 3"

Push 2 3/4"

#### CLEARANCE:

Pull 2"

Push 1 3/4"

#### WEIGHT:

4.0 lbs.

#### ANSI 156.6:

J504

Experience a safer  
and more open world

## Rockwood T11247 - T47 Series Straight Tubular Single Bar Set



### Specifications:

#### MATERIAL:

Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors.  
(See mounting selections at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., T11247 T3, wood door, 33" CTC, US32D)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (TBP11247) when ordering

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

SIZE:  
Ø 1"

CTC:  
Pull 12"

PROJECTION:  
Pull 3"  
Push 2 3/4"

CLEARANCE:  
Pull 2"  
Push 1 3/4"

WEIGHT:  
4.1 lbs.

ANSI 156.6:  
J504

Experience a safer  
and more open world

## Rockwood T11847 - T47 Series Straight Tubular Single Bar Set



### Specifications:

#### MATERIAL:

Brass, Bronze, or Stainless Steel

#### MOUNTINGS:

- Metal and Wood: T3 Back to Back and Thru Bolt; Pull Free End = 1, Push Free End = 1, Common End = 5
- Metal: T4 Back to Back and Concealed; Pull Free End = 6, Push Free End = 6, Common End = 5
- Wood: T5 Back to Back and Concealed; Pull Free End = 8, Push Free End = 8, Common End = 5
- Metal & Wood: T1 Back to Back and Decorative Bolt; Pull Free End = 12, Push Free End = 12, Common End = 5
- Glass: T2 Back to Back and Thru Bolt; Pull Free End = 15, Push Free End = 15; Common End = 13
- T3 is the standard mounting method for Metal and Wood Doors.  
(See mounting selections at [www.assaabloydooraccessories.us](http://www.assaabloydooraccessories.us))

#### ORDERING:

Specify product number, mounting, door type, push bar CTC, and finish (i.e., T11847 T3, wood door, 33" CTC, US32D)

#### OPTIONS:

- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (TBP11847) when ordering

### Available Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US32/629
- US32D/630

SIZE:  
Ø 1"

CTC:  
Pull 18"

PROJECTION:  
Pull 3"  
Push 2 3/4"

CLEARANCE:  
Pull 2"  
Push 1 3/4"

WEIGHT:  
4.6 lbs.

ANSI 156.6:  
J504